

# ARTIC SERIES

## MINI WALL WASHER

Project \_\_\_\_\_

Location \_\_\_\_\_

Quote/ Ref # \_\_\_\_\_

The **Artic Series** is an outdoor, high performance, LED wall washer featuring an articulating design which allows for the uniform illumination of curved facades, walls and circular columns. Individually aimed compact modules provide flexibility in creating seamless facade highlights. Available in various beam angles and elliptical optics. The adaptability of the Artic makes it a great fit for the most challenging applications.



### SPECIFICATIONS

POWER CONSUMPTION	7W per 6.6 in per module
LUMEN OUTPUT	498 Lumens (30K)
CONTROL	0-10V, DALI
CRI	90+
COLOR TEMPERATURE	27K/ 30K/ 40K/ 50K
MAXIMUM RUN LENGTH	Linkable up to 18 individual modules
OPERATING VOLTAGE	24V DC
OPERATING FREQUENCY	50/ 60 Hz
STORAGE TEMPERATURE	-30°C to 60°C
OPERATING TEMPERATURE	-40°C to 60°C
BEAM ANGLE OPTIONS	10°/ 15°/ 30°/ 10° X 50°/ 20° X 40°
IP RATING	IP67 Outdoor/ Wet Location
LUMEN MAINTENANCE	50,000 Hrs.

### FEATURES

- 498 Lumens per module
- Can daisy chain up to 3 groups of 6 (Max. 18 modules)
- Proprietary Optical Technology
- Adjustable Mounting Bracket
- Facade Wall Washing
- Graze Lighting
- Signage




MODEL	MODULES	COLOR TEMP	OPTICS	FINISH	VOLTAGE	OPTIONS
ARC	1 1 Module	27K 2700K	10 10°	BK Black	24VDC 24 Volts DC	FLV Flat Louvre
	3 3 Modules	30K 3000K	15 15°	WH White		*Product ships with Flat Louvre unless specified
	6 6 Modules	40K 4000K	30 30°			ALV Asymmetric Louvre
		50K 5000K	1050 10° x 50°			SLV Symmetric Louvre
			2040 20° x 40°			


# ARTIC SERIES

## MINI WALL WASHER

### DIMENSIONS




### OPTICS




### ACCESSORIES

#### FLV FLAT LOUVRE

\* Product ships with Flat Louvre unless specified



#### ALV ASYMMETRIC LOUVRE




# ARTIC SERIES

## MINI WALL WASHER

### ACCESSORIES

SLV  
SYMMETRIC LOUVRE



### CABLES

ARC-LNK-10  
ARC-LNK-36  
ARC-LNK-72  
10", 36", 72" LINK EXTENSION CABLE  
\*Sold Separately



ARC-HWC-72  
72" HARDWIRE CABLE  
\*Sold Separately




# ARTIC SERIES

## MINI WALL WASHER

### COMPATIBLE DIMMING DRIVERS


#### PSDL SERIES TRIAC DIMMABLE

PSDL-30W-24V	CLASS 2	6.5" X 3.63" X 1.03"
PSDL-60W-24V	CLASS 2	7.4" X 3.63" X 1.03"
PSDL-96W-24V	CLASS 2	8.67" X 3.67 X 1.62"
PSDL-150W-24V		8.67" X 3.67" X 1.62"
PSDL-192W-24V	CLASS 2	10.25" X 4.06" X 1.82"
PSDL-200W-24V		10.25" X 4.06" X 1.82"
PSDL-288W-24V	CLASS 2	10.25" X 4.06" X 1.82"
PSDL-300W-24V		10.25" X 4.06" X 1.82"




#### PSRX SERIES 4-IN-1 DIMMING DRIVER

PSRX-30W-24V	CLASS 2	6.5" X 3.72" X 1.57"
PSRX-60W-24V	CLASS 2	7.4" X 3.72" X 1.57"
PSRX-96W-24V	CLASS 2	8.66" X 3.72" X 1.57"
PSRX-150W-24V		10.24" X 4.13" X 1.77"
PSRX-192W-24V	CLASS 2	11" X 4" X 1.82"
PSRX-200W-24V		10.24" X 4.13" X 1.77"
PSRX-288W-24V	CLASS 2	11.85" X 4.25" X 1.82"
PSRX-300W-24V		10.94" X 4.33" X 1.77"




#### PSVT SERIES 0-10V DIMMING DRIVER

PSVT-60W-24V	CLASS 2	7.4" X 3.72" X 1.57"
PSVT-96W-24V	CLASS 2	8.66" X 3.72" X 1.57"
PSVT-200W-24V		10.24" X 4.13" X 1.77"
PSVT-288W-24V	CLASS 2	11.85" X 4.25" X 1.81"
PSVT-300W-24V		10.94" X 4.33" X 1.77"



#### PSDE SERIES 0-10V DIMMING W/ JUNCTION BOX

PSDE-60W-24V-010-JB	CLASS 2	12.1" X 2.36" X 1.4"
PSDE-96W-24V-010-JB	CLASS 2	12.1" X 2.36" X 1.4"




# ARTIC SERIES

## MINI WALL WASHER

### COMPATIBLE NON-DIMMING DRIVERS


LUTRON 1%  
3-WIRE DIMMING

L3DA4U1UKL-CV240 CLASS 2 4.89" X 4" X 2.62"



LUTRON 1%

PSDE-96W-24V-ECO CLASS 2 10.5" X 3.0" X 2.0"



### NON-DIMMING DRIVERS (COMPATABLE WITH ALL SYSTEMS)

PSHK SERIES  
NON-DIMMING CONSTANT VOLTAGE WITH JUNCTION BOX

PSHK-30W-24V	CLASS 2	6.5" X 3.6" X 1.02"
PSHK-60W-24V	CLASS 2	7.4" X 3.62" X 1.02"
PSHK-96W-24V	CLASS 2	8.66" X 3.66" X 1.61"
PSHK-150W-24V		10.24" X 4.06" X 1.81"
PSHK-200W-24V		10.24" X 4.06" X 1.81"
PSHK-288W-24V	CLASS 2	11.85" X 4.25" X 1.82"
PSHK-300W-24V		10.24" X 4.25" X 1.81"

