

ULD2800 SERIES

120V SELECTABLE CCT LED UNDERCABINET

Project _____
Location _____
Quote/ Ref # _____

The **ULD2800 Series** is a high-powered, 120V under cabinet fixture that combines style and efficiency. The ULD2800 Series comes in sleek design perfect for any cabinet or countertop lighting application.



SPECIFICATIONS

INPUT VOLTAGE	120V
POWER CONSUMPTION	10W - 26W per Ft.
LUMEN OUTPUT	750 - 2000 Lm/ Fixture
CRI	90+
COLOR TEMPERATURE	Switchable: 30K, 35K, and 40K
EFFICACY (LM/W)	> 75
DIMMING	ELV and TRIAC
POWER FACTOR	≥0.9
MAXIMUM RUN LENGTH	Linkable up to 400W
MOUNTING	Surface
LUMEN MAINTENANCE	50,000 Hrs.
CERTIFICATIONS	ETL Listed, Energy Star, TITLE 24 JA8, RoHS
OPERATING TEMPERATURE	-10°C ~ -40°C
HUMIDITY	60%
DIMENSIONS	1.1" x 0.94" (W x H)

FEATURES

- Switchable CCT 30K/ 35K/ 40K
- 120V - No Transformer Required
- Linkable up to 400W
- Superior color rendering index
- Seamless connector included
- Title 24 JA8 Compliant
- Complies with Energy Star certifications

LUMENS

MODEL	LENGTH	WATT	LM/ Fixture
ULD-2812	12 in.	10W	750
ULD-2816	16 in.	13W	950
ULD-2824	24 in.	20W	1500
ULD-2832	32 in.	26W	2000




MODEL	SIZE	FINISH
ULD	2812 12 in	BZ Bronze
	2816 16 in	WH White
	2824 24 in	
	2832 32 in	

ULD2800 SERIES

120V SELECTABLE CCT LED UNDERCABINET

DIMENSIONS



COMPATIBLE ACCESSORIES

ULD-JBS-WH
WHITE DIRECT WIRE JUNCTION BOX
3.56" X 1.73" X 1.21"



DIRECT WIRE JUNCTION BOX WITH SWITCH

ULD-JBA-WH
WHITE DIRECT WIRE JUNCTION BOX
6.25" X 3.63" X 1"

ULD-JBA-BZ
BRONZE DIRECT WIRE JUNCTION BOX
6.25" X 3.63" X 1"

* 2 pcs Romex connectors included with each unit



DIRECT WIRE JUNCTION BOX WITH SENSOR

ULD-OCS-JB-WH
WHITE DIRECT WIRE JUNCTION BOX
8.13" X 3.6" X 1.1"

ULD-OCS-JB-BZ
BRONZE DIRECT WIRE JUNCTION BOX
8.13" X 3.6" X 1.1"



DIRECT WIRE JUNCTION BOX WITH SENSOR

ULD-SMC-WH
WHITE CONNECTOR

ULD-SMC-BK
BLACK CONNECTOR



ULD2800 SERIES

120V SELECTABLE CCT LED UNDERCABINET

COMPATIBLE ACCESSORIES

INTERLINK CABLE

ULD-LNK-6-WH
ULD-LNK-12-WH
ULD-LNK-24-WH
ULD-LNK-72-WH

6", 12", 24", 72" WHITE LINK CABLE



ULD-LNK-6-BK
ULD-LNK-12-BK
ULD-LNK-24-BK
ULD-LNK-72-BK

6", 12", 24", 72" BLACK LINK CABLE

HARDWIRE CABLE

ULD-HWC-72-WH

72" WHITE HARDWIRE CONNECTOR

ULD-HWC-72-BK

72" BLACK HARDWIRE CONNECTOR



AC DIRECT PLUG IN CABLE

ULD-PCA-72-WH

72" WHITE CABLE

ULD-PCA-72-BK

72" BLACK CABLE

