ALP-150LX

CORE ARCHITECTURAL LIGHTING

SURFACE / SUSPENDED LINEAR LED PROFILE

The **ALP-150LX** is an architectural-grade LED profile designed for linear LED strips up to 24mm (0.94") wide. Made from high quality aluminum, these extrusions provide superior thermal management for higher wattage LED strips and prolong the lighting system's lifespan. These profiles are manufactured with a patented frosted diffuser for maximum lumen output and wider beam distribution.

	UPDATED: 12.10.24
Project	
Location	
Quote/ Ref #	



SPECIFICATIONS

TYPE Surface/ Suspension Mount

AVAILABLE LENGTHS 49.25 in./ 98.5 in.

FINISH White, Black
LENS OPTION Frosted
CHANNEL ALP150LX

LENSALP150LX-LN (sold separately)END CAPALP150LX-EC (sold separately)CABLE SUSPENSION KITALP-CS12 (sold separately)POWER FEED KITALP-CF (sold separately)NON-POWER FEED KITALP-CSB (sold separately)

FEATURES

- · Customizable
- · Compatible with LED strips up to 24mm (0.94")
- · Durable, anodized aluminum
- · Protects LED systems from dust and other elements
- · Dissipates heat from LED, prolonging its lifetime
- · Frosted Lens Diffuser available up to 150 Ft.








			INDUOR DUTDUUR CUTTABLE
1	1	 	
 	1	1	
MODEL	LENGTH	LENS	FINISH
ALP150LX	49 49.25 in.	FR Frosted	WH White
 	98 98.5 in.		BK Black
i !		1	
 	1	 	
i			
į			
1	 		

ALP-150LX



SURFACE/SUSPENDED LINEAR LED PROFILE

DIMENSIONS




ACCESSORIES

ALP150LX-EC

END CAP

* Set of 2

* Sold Separately




MOUNTING ACCESSORIES

ALP-CS12

EUROPEAN SUSPENSION KIT

* Sold Separately






SURFACE / SUSPENDED LINEAR LED PROFILE

SUSPENSION KIT ACCESSORIES

POWER FEED KIT

ALP-CF-WH WHITE POWER FEED KIT

ALP-CF-BK BLACK POWER FEED KIT



2" NON-POWER FEED KIT

ALP-CSB-WH-2 2" WHITE FEED KIT

ALP-CSB-BK-2 2" BLACK FEED KIT



5" NON-POWER FEED KIT

ALP-CSB-WH-5 5" WHITE FEED KIT

ALP-CSB-BK-5 5" BLACK FEED KIT

