# **LSG**-60



# 6W 120V AC PLUGIN LED TAPE LIGHT

The LSG-60 is a dimmable 120V AC outdoor tape light offering the highest quality in direct-connect LED lighting. It can be ordered in custom lengths, in 3 inch increments and comes sealed with an IP67 rating for outdoor or wet installations and applications. This ETL Listed, 120V linear light can reach a maximum length of 66Ft. in a single continuous run.

	UPDATED: 12.30.24
Project	
Location	
Ouote/Ref#	



## **SPECIFICATIONS**

POWER CONSUMPTION 6W per Ft.

**LUMEN OUTPUT** Up to 550 Lm/Ft.

CRI 90+

**COLOR TEMPERATURE** 24K/27K/30K/35K/40K/50K

**DIMMING** TRIAC MAXIMUM RUN LENGTH 66 Ft.

**CUTTABLE** Every 3 in (76.2mm)

OPERATING VOLTAGE 120V AC

OPERATING TEMPERATURE -22°F (-30°C) to 122°F (50°C) STORAGE TEMPERATURE -4°F (-20°C) to 140°F (60°C)

**BEAM ANGLE** 120° IP RATING **IP67 CERTIFICATIONS** ETL Listed **LUMEN MAINTENANCE** 50,000 Hrs.

# **FEATURES**

- · Line Voltage Linear Light
- · 120V AC, No power supply required
- · Continuous Run up to 66 Ft.
- · Wet and Dry Locations
- · 90+ CRI
- · Suitable for Indoor/ Outdoor use
- · Custom length available every 3 in.
- · Dimmable
- · ETL Listed

#### **LUMENS**

ССТ	LM/FT	LM/W	CRI
2400K	460	75	90+
2700K	500	80	90+
3000K	510	85	90+
3500K	510	85	90+
4000K	550	90	90+
5000K	550	90	90+




















MODEL	COLOR TEMP	LED LENGTH	VOLTAGE	POWER FEED	IP RATING
LSG-60	<b>24K</b> 2400K	' 'XX   per Ft.	<b>120</b> 120 Volts	HWC36 36" Hardwire Power Feed Cable	IP67 Outdoor*
	<b>27K</b> 2700K	 		HWC72 72" Hardwire Power Feed Cable	 
	<b>30K</b> 3000K	 		HWC120 120" Hardwire Power Feed Cable	 
	<b>35K</b> 3500K	 		HWC240 240" Hardwire Power Feed Cable	 
	<b>40K</b> 4000K <b>50K</b> 5000K	*1 = Custom length per FT. (cuttable every 3")		HWC-CUS Custom Length Wire	* = Ideal for applications with direct exposure to rain/ water (MADE TO ORDER - Please allow 3 weeks lead time)



# 6W 120V AC PLUGIN LED TAPE LIGHT

#### **DIMENSIONS**




## **COMPATIBLE ACCESSORIES**

#### MOUNTING CHANNEL

LSG-AC48 LSG-AC96

48"AND 96" ALUMINUM CHANNEL




# **MOUNTING CHANNEL & MOUNTING CLIP**

LSG-CN48

48" ALUMINUM CHANNEL

LSG-CN-CL


MOUNTING CLIP
\* INCLUDED WITH LSG-CN48



20.66mm (0.81 in) 26.37mm (1.04 in) 20.52mm (0.81 in) →

LSG-PC48

48" PLASTIC CHANNEL





# **6W 120V AC PLUGIN LED TAPE LIGHT**

#### **COMPATIBLE ACCESSORIES**

#### **MOUNTING CHANNEL & FROSTED LENS**

LSG-AC3100FR-48-SI

48" CHANNEL (SILVER)

LSG-AC3100FR-84-SI 84" CHANNEL (SILVER)

LSG-AC3100FR-96-SI


96" PROFILE (SILVER)

LSG-AC3100-EC-SI END CAP (SILVER)

\* SOLD SEPARATELY

LSG-AC3100-ECH-SI END CAP WITH HOLE (SILVER)

\* SOLD SEPARATELY



#### LSG-AC3100FR-MC

MOUNTING CLIP

\* 2PCS INCLUDED WITH EVERY 48"

\* 4PCS INCLUDED WITH EVERY 84" AND 96"

## MOUNTING CLIP

LSG-MC

MOUNTING CLIP



# HARDWIRE POWER FEED CABLE

LSG-HWC36 36" HARDWIRE POWER FEED CABLE
LSG-HWC72 72" HARDWIRE POWER FEED CABLE
LSG-HWC120 120" HARDWIRE POWER FEED CABLE
LSG-HWC240 240" HARDWIRE POWER FEED CABLE

# **POWER CABLE**

**LSG-PCA72** 72" POWER FEED CABLE



#### LINK EXTENSION CABLE

LSG-LNK6 6" LINK CABLE
LSG-LNK12 12" LINK CABLE
LSG-LNK24 24" LINK CABLE

