

# LSG40-WD

## 4W WARM-DIM 120V LED TAPE LIGHT

Project \_\_\_\_\_

Location \_\_\_\_\_

Quote/ Ref # \_\_\_\_\_

The **LSG40-WD** is a warm-dim 120V tape light offering the highest quality in direct-connect LED lighting. It can be ordered in custom lengths, in 4 inch increments and available with IP67 rating for outdoor or wet installations and applications.



### SPECIFICATIONS

POWER CONSUMPTION	4W per Ft.
LUMEN OUTPUT	220 Lumens per Ft.
CRI	90+
DIMMING	TRIAC
MAXIMUM RUN LENGTH	164 Ft.
CUTTABLE	Every 4.0 in (101.6mm)
BINNING	MacAdam Ellipse 2-Step
OPERATING VOLTAGE	120V AC
OPERATING TEMPERATURE	-22°F (-30°C) to +122°F (+50°C)
BEAM ANGLE	120°
IP RATING	IP54, IP67
CERTIFICATIONS	ETL Listed
LUMEN MAINTENANCE	50,000 Hrs.

### FEATURES

- Line Voltage Linear Light
- 120V AC, No power supply required
- Wet and Dry Locations
- 90+ CRI
- Suitable for Indoor/ Outdoor use
- Custom length available every 4 in.
- Dimmable
- ETL Listed



MODEL	COLOR TEMP	LED LENGTH	VOLTAGE	POWER FEED	IP RATING
LSG40-WD	18/30K 1800K/ 3000K	*XX per Ft.	120 120 Volts	<b>HWC36</b> 36" Hardwire Power Feed Cable	<b>IP54</b> Indoor/ Damp
				<b>HWC72</b> 72" Hardwire Power Feed Cable	
				<b>HWC120</b> 120" Hardwire Power Feed Cable	<b>IP67</b> Outdoor*
				<b>HWC240</b> 240" Hardwire Power Feed Cable	
				<b>HWC-CUS</b> Custom Length Wire	


\*1 = Custom length per FT. (cuttable every 4")

\* = Ideal for applications with direct exposure to rain/ water (MADE TO ORDER - Please allow 3 weeks lead time)

# LSG40-WD

## 4W WARM-DIM 120V LED TAPE LIGHT


### DIMENSIONS



### COMPATIBLE ACCESSORIES

#### MOUNTING CHANNEL


LSG-AC48  
LSG-AC96  
48" AND 96" ALUMINUM CHANNEL




#### MOUNTING CHANNEL & MOUNTING CLIP

LSG-CN48  
48" ALUMINUM CHANNEL

LSG-CN-CL  
MOUNTING CLIP  
\* INCLUDED WITH LSG-CN48




LSG-CN48



LSG-CN-CL

LSG-PC48  
48" PLASTIC CHANNEL




#### MOUNTING CHANNEL & FROSTED LENS

LSG-AC2000FR-48  
LSG-AC2000FR-84  
48" AND 84" ALUMINUM CHANNEL

LSG-AC2000FR-EC  
END CAP  
\* SOLD SEPARATELY

LSG-AC2000FR-MC  
MOUNTING CLIP  
\* 2PCS INCLUDED WITH EVERY 48"  
\* 4PCS INCLUDED WITH EVERY 84"



# LSG40-WD

## 4W WARM-DIM 120V LED TAPE LIGHT

### COMPATIBLE ACCESSORIES

#### MOUNTING CHANNEL & FROSTED LENS

LSG-AC3100FR-48-SI  
48" CHANNEL (SILVER)

LSG-AC3100FR-84-SI  
84" CHANNEL (SILVER)


LSG-AC3100FR-96-SI  
96" PROFILE (SILVER)

LSG-AC3100-EC-SI  
END CAP (SILVER)

\* SOLD SEPARATELY

LSG-AC3100-ECH-SI  
END CAP WITH HOLE (SILVER)

\* SOLD SEPARATELY



#### LSG-AC3100FR-MC

MOUNTING CLIP


\* 2PCS INCLUDED WITH EVERY 48"

\* 4PCS INCLUDED WITH EVERY 84" AND 96"

#### MOUNTING CLIP

LSG-MC

MOUNTING CLIP



#### HARDWIRE POWER FEED CABLE

LSG-HWC36 36" HARDWIRE POWER FEED CABLE  
LSG-HWC72 72" HARDWIRE POWER FEED CABLE  
LSG-HWC120 120" HARDWIRE POWER FEED CABLE  
LSG-HWC240 240" HARDWIRE POWER FEED CABLE



#### POWER CABLE

LSG-PCA72 72" POWER FEED CABLE



#### LINK EXTENSION CABLE

LSG-LNK6 6" LINK CABLE  
LSG-LNK12 12" LINK CABLE  
LSG-LNK24 24" LINK CABLE

